

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	CSR FireSeal™ (Aus)
Other Names	None
Product Codes/Trade Names:	None
Recommended Use:	Sealant for Fire and Acoustic Rated Construction
Applicable In:	Australia
Supplier:	CSR Building Products Ltd ABN: 55 008 631 356
Address:	Trinity 3, Level 5, 39 Delhi Road, North Ryde, NSW 2113 Australia
Telephone:	+61 2 9235 8000 (or 1800 807 668 within Australia)
Email Address:	http://www.gyprock.com.au/Pages/Contact-Us.aspx
Website:	http://www.gyprock.com.au/Pages/Resources/MSDS.aspx
Facsimile:	+61 2 9372 5819
Emergency Phone Number:	000 Fire Brigade and Police (within Australia only)
Poisons Information Centre:	13 11 26 (within Australia only)

This Safety Data Sheet (SDS) is issued by the Supplier in accordance with National standards and guidelines from Safe Work Australia (SWA – formerly ASCC/NOHSC). The information in it must not be altered, deleted or added to. The Supplier will not accept any responsibility for any changes made to its SDS by any other person or organization. The Supplier will issue a new SDS when there is a change in product specifications and/or Standards, Codes, Guidelines, or Regulations.

SECTION 2: HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE: Classified as **Non-Hazardous** according to the Approved Criteria For Classifying Hazardous Substances [NOHSC:1008] 3rd Edition.

FireSeal™ is classified as **Non-Dangerous Goods** according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

GHS CLASSIFICATION:

Not classified as Hazardous. Because this product is classified as Non-Hazardous, a Safety Data Sheet (SDS) is not required under the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) or Australian Regulations. CSR has elected to issue this SDS for the information of users, installers and the community. It has been formatted according to the GHS, as adopted by Safe Work Australia.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name:	Synonyms:	Proportion:	CAS Number:
Acrylic emulsion		10-40%	
Nepheline syenite	Aluminium silicate	10-30%	37244-96-5
Aluminium trihydrate powder		10-30%	8064-00-4
Polyurethane resin		<10%	

Zinc borate hydrate		<5%	138265-88-0
Wetting agents, biocide and emulsifier		trace	

SECTION 4: FIRST AID MEASURES

Swallowed:	Rinse mouth and lips with water. Do not induce vomiting. If symptoms persist, seek medical attention.
Eyes:	Flush thoroughly with flowing water, while holding eyelids open, for 15 minutes to remove all traces. If symptoms such as irritation or redness persist, seek medical attention.
Skin:	Remove heavily contaminated clothing. Wash off skin thoroughly with water. Use a mild soap if available. If symptoms such as irritation or redness persist, seek medical attention.
Inhaled:	Remove to fresh air. If symptoms persist, seek medical attention.
First Aid Facilities:	As required for the site where product is used.
Advice to Doctor:	Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media:	Use carbon dioxide, foam, dry chemical or water spray to extinguish, as required for fire in surrounding materials.
Specific hazards:	Following evaporation of the water component of the material, the residual material can burn if ignited. Combustion products include carbon monoxide, carbon dioxide, and oxides of nitrogen.
Special protective equipment and precautions for firefighters:	As required for fire in surrounding materials.
HAZCHEM Code:	None

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Slippery when spilt – clean up immediately. For large spills, work up wind or increase ventilation. Recommendations on Exposure Controls / Personal Protection (see Section 8 below) should be followed during spill and clean-up.
Environmental precautions:	Contain and prevent run off into drains and waterways. If contamination of sewers or waterways has occurred, advise local emergency services.
Methods and materials for containment and cleaning up:	For small spills, wipe up with rag or absorbent paper. For large spills, use absorbent soil, sand or other inert material. Collect and seal in properly labelled containers or drums for disposal. Scrape up excess material before cure. Cured material can only be removed by cutting or abrasion.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:	Manual handling should be in accordance with Manual Handling Regulations and Codes.
Conditions for safe storage:	Store in cool place and out of direct sunlight. Store away from oxidising agents. Keep containers closed when not in use; check regularly for leaks.

Incompatibilities:	Avoid reaction with oxidising agents.
---------------------------	---------------------------------------

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards:	Workplace Exposure Standards for Airborne Contaminants, Safe Work Australia No exposure standard is applicable to this non-hazardous product.
Notes on Exposure Standards:	All occupational exposures to atmospheric contaminants should be kept to as low a level as is workable (practicable) and in all cases to below the Workplace Exposure Standard (WES).
Biological Limit Values:	No biological limit allocated.
ENGINEERING CONTROLS	
<input type="checkbox"/> Ventilation:	Use in well ventilated areas. Work in the open air and external openings (such as doors and windows in buildings) generally provides adequate ventilation. Local mechanical ventilation or extraction may be used, if necessary.
<input type="checkbox"/> Special Consideration for Repair &/or Maintenance of Contaminated Equipment:	Recommendations on Exposure Control and Personal Protection should be followed.
PERSONAL PROTECTION	
<input type="checkbox"/> Personal Hygiene	Wash hands before eating, drinking, using the toilet, or smoking. Wash work clothes regularly.
<input type="checkbox"/> Skin Protection:	Wear protective standard duty leather or equivalent gloves (AS 2161), loose comfortable clothing, and boots. Long-sleeved shirts and long trousers are recommended if skin irritation occurs.
<input type="checkbox"/> Eye Protection:	Wear eye protection conforming with Australian & New Zealand Standards (AS/NZS 1336).
<input type="checkbox"/> Respiratory Protection:	If required, wear a P1 or P2 respirator suitable for particulates conforming with Australian & New Zealand Standards AS/NZS 1715 and AS/NZS 1716 in regard to selection, fit-testing, use & maintenance. Use only respirators that bear the Australian Standards mark and are fitted and maintained correctly, and kept in clean storage when not in use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Grey paste
Odour:	Characteristic acrylic odour
Odour threshold:	Not available
pH:	8.5
Melting point:	Not available
Initial boiling point and range:	100°C (water)
Flash point:	Not applicable
Evaporation rate:	Not available
Flammability:	Not combustible, however following evaporation of the water component of the

	material, the residual material can burn if ignited.
Upper/lower flammability or explosive limits:	Not applicable
Vapour pressure:	Not available
Vapour density:	Not available
Specific gravity (Relative density):	1.53
Solubility:	Dispersible in water
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	Not available
Decomposition temperature:	Not determined
Viscosity:	Not determined
% Volatiles:	15% (water)
Volatile Organic Compounds (VOC) Content: (as specified by the Green Building Council of Australia)	<1%

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions of use
Hazardous Reactions:	None
Conditions to avoid:	Avoid exposure to frost
Incompatible Materials:	Oxidising agents
Hazardous Decomposition Products:	Oxides of carbon and oxides of nitrogen

SECTION 11: TOXICOLOGICAL INFORMATION

Health Effects: Acute (short term)

Swallowed:	Swallowing a large quantity may cause nausea and vomiting.
Eyes:	May be irritating to the eyes, as with any foreign body.
Skin:	Repeated and heavy skin contamination may lead to skin discomfort.
Inhaled:	Dust generated from the dried product may be mildly irritating to the nose, throat and respiratory tract and may cause coughing and sneezing. Pre-existing upper respiratory and lung diseases including asthma and bronchitis may be aggravated.

Toxicity Data

No specific toxicology data available for this product. No health effects expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

Eco-toxicity:	The physical and chemical nature of the product, and toxicological data on
----------------------	--

CSR SDS Reference: CSR-SDS-174

Date Issued: 10/10/2016

	ingredients, indicate that this product is a relatively low risk.
Persistence and Degradability:	Product is persistent and would have a low degradability.
Bioaccumulative potential:	There is no evidence to suggest bioaccumulation will occur.
Mobility in soil:	A low mobility would be expected in a landfill situation.

SECTION 13: DISPOSAL CONSIDERATIONS

FireSeal™ can be treated as a common waste for disposal or dumped into a landfill site in accordance with local authority guidelines. Keep material out of storm water and sewer drains.

SECTION 14: TRANSPORT INFORMATION

UN number:	None allocated
UN Proper Shipping Name:	None allocated
Class and Subsidiary Risk:	None allocated
Packaging Group:	None allocated
Marine Pollutant:	No
Special Precautions for User:	None
HAZCHEM code:	None allocated

SECTION 15: REGULATORY INFORMATION

Poisons Schedule:	Not scheduled
--------------------------	---------------

SECTION 16: OTHER INFORMATION

For further information on this product, please contact:

CSR Building Products Limited (ABN 55 008 631 356), Triniti 3, Level 5, 39 Delhi Road, North Ryde, NSW 2113, Australia.

Phone: +61 2 9235 8000 or 1800 807 668 (available in Australia only)

Fax: +61 2 9372 5819

ADDITIONAL INFORMATION

Australian Standards References:

AS 1336	Recommended Practices for Occupational Eye Protection
AS 1715	Selection, Use and Maintenance of Respiratory Protective Devices
AS 1716	Respiratory Protective Devices
AS 2161	Industrial Safety Gloves and Mittens (excluding electrical and medical gloves)

Other References:

NOHSC:1008 (2004)	Approved Criteria for Classifying Hazardous Substances
Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals, December 2011, Safe Work Australia.
Model Code of	Labelling of Workplace Hazardous Chemicals, December 2011, Safe Work Australia.

CSR SDS Reference: CSR-SDS-174

Date Issued: 10/10/2016

Practice	
Model Code of Practice	Managing Risks Of Hazardous Chemicals In The Workplace, July 2012, Safe Work Australia.
WHS	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations, April 2012, Safe Work Australia.
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7 th edition, National Transport Commission.
WES	Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
WES	Guidance On The Interpretation Of Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS), 3 rd revised edition, United Nations, New York and Geneva, 2009.
GHS	Understanding the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), United Nations, New York and Geneva, 2010.
HSIS	Hazardous Substances Information System (HSIS), internet advisory service, Safe Work Australia.
HCIL	GHS Hazardous Chemical Information List (HCIL), internet advisory service, Safe Work Australia.

AUTHORISATION

Reason for Issue:	Update to GHS format
Authorised by:	LWS Safety Improvement manager
Date of Issue:	10th October 2016

Whilst the information contained in this document is based on data which, to the best of our knowledge, was accurate and reliable at the time of preparation, no responsibility can be accepted by us for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information.

END OF SDS